



PP compression fittings

Croix 90° bouches égales


"AIR"

ITEM 553



RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m ³)	Poids brut	Unités par lot
112E260	"AIR" 90° CROSS EQUAL OUTLETS 20 - 1/2"	0.162	0.022435	2.97	15
112E261	"AIR" 90° CROSS EQUAL OUTLETS 20 - 3/4"	0.165	0.022435	3.015	15
112E262	"AIR" 90° CROSS EQUAL OUTLETS 25 - 1/2"	0.26	0.031294	4.46	15
112E263	"AIR" 90° CROSS EQUAL OUTLETS 25 - 3/4"	0.26	0.031294	4.46	15
112E264	"AIR" 90° CROSS EQUAL OUTLETS 32 - 1/2"	0.388	0.036484	6.52	15
112E265	"AIR" 90° CROSS EQUAL OUTLETS 32 - 3/4"	0.392	0.036484	6.58	15





ITEM 553 | Croix 90° bouches égales "AIR"

Código	f tubo - D	Peso (g)	A	B	C	PN	MEDIDA
12E260	20 - 1/2"	162	21	46	167	PN16	BSP
12E261	20 - 3/4"	165	21	46	167	PN16	BSP
12E262	25 - 1/2"	266	26	55	182	PN16	BSP
12E263	25 - 3/4"	269	26	55	182	PN16	BSP
12E264	32 - 1/2"	388	33	64	198	PN16	BSP
12E265	32 - 3/4"	392	33	64	198	PN16	BSP





Documentation Produit



Certifications de produits

Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es