




PP compression fittings

Raccord droit taraudé, renforcé ITEM 478



RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m³)	Poids brut	Unités par lot
112E112	COUPLING FEMALE THREAD, REINF. 25 x 1/2"	0.09	0.03129	9.573	100
112E114	COUPLING FEMALE THREAD, REINF. 32 x 3/4"	0.13	0.0446	13.729	100
112E138	COUPLING FEMALE THREAD, REINF. 20 x 1/2"	0.063	0.022435	6.84	100
112E139	COUPLING FEMALE THREAD, REINF. 25 x 3/4"	0.08667	0.031294	9.24	100
112E140	COUPLING FEMALE THREAD, REINF. 32 x 1"	0.13	0.044603	13.83	100
112E141	COUPLING FEMALE THREAD, REINF. 40 x 1 1/4"	0.218	0.044603	13.038	56
112E142	COUPLING FEMALE THREAD, REINF. 50 x 1 1/2"	0.3461	0.044603	14.54	40
112E143	COUPLING FEMALE THREAD, REINF. 63 x 2"	0.52	0.061499	15.54	28
112E144	COUPLING FEMALE THREAD, REINF. 75 x 2 1/2"	0.9301	0.036816	9.85	10
112E145	COUPLING FEMALE THREAD, REINF. 90 x 3"	1.7402	0.036816	9.25	5
112E146	COUPLING FEMALE THREAD, REINF. 110 x 4"	2.064	0.022435	4.668	2





ITEM 478 | Raccord droit taraudé, renforcé

Código	f tubo - F	Peso (g)	A	B	C	D	PN	TIPO ROSCA
12E138	20 - 1/2"	63	21	46	76	18	PN16	BSP
12E112	25 - 1/2"	93	26	55	83	18	PN16	BSP
12E139	25 - 3/4"	90	26	55	84	21	PN16	BSP
12E114	32 - 3/4"	135	33	63	92	21	PN16	BSP
12E140	32 - 1"	130	33	63	93	23	PN16	BSP
12E141	40 - 1 1/4"	218	42	76	112	25	PN16	BSP
12E142	50 - 1 1/2"	314	51	91	119	25	PN16	BSP
12E143	63 - 2"	550	64	109	141	29	PN16	BSP
12E144	75 - 2 1/2"	902	77	133	169	34	PN10	BSP
12E145	90 - 3"	1494	92	159	204	38	PN10	BSP





ITEM 478 | Raccord droit taraudé, renforcé

12E146

110 - 4"

2064

112

183

231

50

PN10

BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es



Documentation Produit



Certifications de produits

Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es