





Raccords PVC-U pression

Buchon taraudé avec joint

ITEM 705

RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m³)	Poids brut	Unités par lot
1002540	TAPON R/HEMBRA "J-TORICA" 1/2"	0.0106	0.004725	0.963	80
1002541	TAPON R/HEMBRA "J-TORICA" 3/4"	0.01772	0.004725	1.37	70
1002542	TAPON R/HEMBRA "J-TORICA" 1"	0.032976	0.004725	1.625	45
1002543	TAPON R/HEMBRA "J-TORICA" 1 1/4"	0.052638	0.015532	3.485	60
1002544	TAPON R/HEMBRA "J-TORICA" 1 1/2"	0.075	0.008918	3.9374	50
1002545	TAPON R/HEMBRA "J-TORICA" 2"	0.125118	0.015532	5.957	45
1002546	TAPON R/HEMBRA "J-TORICA" 2 1/2"	0.215	0.022435	9.0877	40
1002547	TAPON R/HEMBRA "J-TORICA" 3"	0.379	0.022435	9.57	24
1002548	TAPON R/HEMBRA "J-TORICA" 4"	0.5741	0.022435	9.099	15





ITEM 705 | Buchon taradé avec joint

Codigo	A	Peso (g)	B	C	D	PN	ROSCA
02540	1/2"	11	29	13	21	PN10	BSP
02541	3/4"	18	34	15	24	PN10	BSP
02542	1"	33	44	18	27	PN10	BSP
02543	1 1/4"	53	52	20	30	PN10	BSP
02544	1 1/2"	73	61	20	30	PN10	BSP
02545	2"	123	69	24	36	PN10	BSP
02546	2 1/2"	210	89	28	46	PN10	BSP
02547	3"	369	108	30	52	PN10	BSP
02548	4"	495	130	35	62	PN10	BSP





Documentation Produit



Certifications de produits



Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es