




Raccords pression laiton

Raccord 90° taraudé

ITEM 154

RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m³)	Poids brut	Unités par lot
1020066	CODO 90° R/H LATON 20-1/2"	0.1007	0.008918	5.22	50
1020067	CODO 90° R/H LATON 25-3/4"	0.1843	0.008918	7.189	40
1020068	CODO 90° R/H LATON 32-1"	0.2933	0.008918	7.52	25
1020069	CODO 90° R/H LATON 40-1 1/4"	0.4781	0.022435	17.7	36
1020070	CODO 90° R/H LATON 50-1 1/2"	0.7319	0.008918	8.97	12
1020071	CODO 90° R/H LATON 63-2"	1.06363	0.015532	10.963	10
1020072	CODO 90° R/H LATON 75-2 1/2"	1.802471	0.022435	13.105	7
1020073	CODO 90° R/H LATON 90-3"	2.95326	0.022435	15.254	5





ITEM 154 | Raccord 90° taraudé

Código	f tubo-R	Peso (g)	A	B	C	D	E	F	G	H	PN	TIPO ROSCA
20066	20-1/2"	132	47.3	10.2	1/2"	35	21	53.6	24.5	33	PN25	BSP
20067	25-3/4"	213	50.5	12.7	3/4"	41.5	26	69	29.5	36.5	PN25	BSP
20068	32-1"	301	61	15.5	1"	49.5	33	78.5	38	43.5	PN25	BSP
20069	40-1 1/4"	520	74.8	16.7	1 1/4"	61	41.8	92	46.7	47.5	PN25	BSP
20070	50-1 1/2"	810	93	16	1 1/2"	74.3	51.2	107.5	56	53	PN25	BSP
20071	63-2"	1340	111	18	2"	91.2	64	137	66	65	PN25	BSP
20072	75-2 1/2"	1875	135	75	112.8						PN25	BSP
20073	90-3"	2720	154	85	129.4						PN25	BSP





Documentation Produit



Certifications de produits

Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es