




Vannes à boisseau 3 voies 'Security'

SORTIÈ À COLLER

ITEM 849

RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m³)	Poids brut	Unités par lot
111V003	VÁLVULA BOLA 3 VÍAS MODELO "L" S/ENC 32	0.67	0.0446	3.97	4
111V005	VÁLVULA BOLA 3 VÍAS MODELO "L" S/ENC 50	1.657	0.044603	5.1298	2
111V006	VÁLVULA BOLA 3 VÍAS MODELO "L" S/ENC 63	2.685	0.03129	7.06	2
111V007	VÁLVULA BOLA 3 VÍAS MODELO "L" S/ENC 75	4.881	0.03892	5.76	1
111V043	VÁLVULA BOLA 3 VÍAS MODELO "T" S/ENC 32	0.667	0.03129	3.8019	4
111V045	VÁLVULA BOLA 3 VÍAS MODELO "T" S/ENC 50	1.646	0.0446	5.142	2
111V046	VÁLVULA BOLA 3 VÍAS MODELO "T" S/ENC 63	2.8031	0.044603	7.001	2
111V047	VÁLVULA BOLA 3 VÍAS MODELO "T" S/ENC 75	4.785	0.03892	5.67	1
111V744	VÁLVULA BOLA 3 VÍAS MODELO "L" S/ENC 40 DN40	1.647	0.0446	5.14	2
111V748	VÁLVULA BOLA 3 VÍAS MODELO "L" S/ENC 90 DN65	5.141	0.03892	6.02	1
111V754	VÁLVULA BOLA 3 VÍAS MODELO "T" S/ENC 40 DN40	1.637	0.0446	5.12	2
111V758	VÁLVULA BOLA 3 VÍAS MODELO "T" S/ENC 90 DN65	5.085	0.03892	6.117	1





ITEM 849 | SORTIÈ À COLLER

PTFE	f	PESO (g)	DN	Modelo	A	B	C	D	E	PN	MEDIDA
11V003	32	712	25	L	160	72	22	121	114	PN16	MÉTRICO
11V744	40	1644	40	L	214	103	26	155	140	PN16	MÉTRICO
11V005	50	1653	40	L	216	103	31	155	140	PN16	MÉTRICO
11V006	63	2549	50	L	251	120	38	172	140	PN16	MÉTRICO
11V007	75	5008	65	L	308	150	45	218	160	PN10	MÉTRICO
11V748	90	5317	65	L	332	150	51	218	160	PN10	MÉTRICO
11V013	32	708	25	T	160	72	22	121	114	PN16	MÉTRICO
11V754	40	1634	40	T	214	103	26	155	140	PN16	MÉTRICO
11V045	50	1643	40	T	216	103	31	155	140	PN16	MÉTRICO
11V046	63	2531	50	T	251	120	38	172	140	PN16	MÉTRICO






ITEM 849 | SORTIÈ À COLLER

11V047	75	4968	65	T	308	150	45	218	160	PN10	MÉTRICO
11V758	90	5277	65	T	332	150	51	218	160	PN10	MÉTRICO





Documentation Produit



Certifications de produits

Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es