



## Clapet anti-retour System®


# System à mécanisme d'autofermeture et indicateur de position ouvert/fermé

## ITEM 286



| RÉFÉRENCE | DESCRIPTION                                | Poids net | Volume (m³) | Poids brut | Unités par lot |
|-----------|--------------------------------------------|-----------|-------------|------------|----------------|
| 1013020   | VALVULA RETENCION SYSTEM A/C VISOR 63      | 0.485     | 0.00472     | 1.09       | 2              |
| 1013021   | VALVULA RETENCION SYSTEM A/C VISOR 75      | 0.53695   | 0.00472     | 1.191      | 2              |
| 1013022   | VALVULA RETENCION SYSTEM A/C VISOR 90      | 0.7351    | 0.004725    | 0.864      | 1              |
| 1013023   | VALVULA RETENCION SYSTEM A/C VISOR 110     | 0.9258    | 0.00891     | 1.0429     | 1              |
| 1013024   | VALVULA RETENCION SYSTEM A/C VISOR 125     | 1.2108    | 0.008918    | 1.41       | 1              |
| 1013025   | VALVULA RETENCION SYSTEM A/C VISOR 140     | 1.7238    | 0.008918    | 1.925      | 1              |
| 1013026   | VALVULA RETENCION SYSTEM A/C VISOR 160     | 2.2238    | 0.00983     | 2.491      | 1              |
| 1013027   | VALVULA RETENCION SYSTEM A/C VISOR 200/225 | 3.7944    | 0.015532    | 4.14       | 1              |
| 1013028   | VALVULA RETENCION SYSTEM A/C VISOR 250     | 6.8978    | 0.036484    | 7.786      | 1              |
| 1013029   | VALVULA RETENCIÓN SYSTEM A/C VISOR 315     | 9.9555    | 0.061499    | 10.876     | 1              |
| 1013030   | VALVULA RETENCIÓN SYSTEM A/C VISOR 400     | 15.72     | 0.36961     | 19.5       | 1              |





## ITEM 286 | System à mécanisme d'autofermeture et indicateur de position ouvert/fermé

| Código | f tubo  | Peso (g) | DN  | A   | B   | C   | K       | PN   | MEDIDA  |
|--------|---------|----------|-----|-----|-----|-----|---------|------|---------|
| 13020  | 63      | 455      | 50  | 136 | 187 | 54  | 125-145 | PN16 | MÉTRICO |
| 13021  | 75      | 455      | 65  | 136 | 187 | 54  | 125-145 | PN16 | MÉTRICO |
| 13022  | 90      | 665      | 80  | 130 | 221 | 58  | 146-160 | PN16 | MÉTRICO |
| 13023  | 110     | 798      | 100 | 151 | 242 | 59  | 178-190 | PN16 | MÉTRICO |
| 13024  | 125     | 1093     | 110 | 170 | 260 | 67  | 190     | PN16 | MÉTRICO |
| 13025  | 140     | 1445     | 125 | 190 | 277 | 73  | 210-216 | PN16 | MÉTRICO |
| 13026  | 160     | 2052     | 150 | 217 | 297 | 80  | 235-241 | PN10 | MÉTRICO |
| 13027  | 200/225 | 2940     | 175 | 250 | 329 | 95  | 292-298 | PN10 | MÉTRICO |
| 13028  | 250     | 6840     | 225 | 322 | 370 | 128 | 350-362 | PN10 | MÉTRICO |
| 13029  | 315     | 10500    | 250 | 370 | 480 | 131 | 400-432 | PN10 | MÉTRICO |





## ITEM 286 | System à mécanisme d'autofermeture et indicateur de position ouvert/fermé

|       |     |       |     |     |     |     |         |      |         |
|-------|-----|-------|-----|-----|-----|-----|---------|------|---------|
| 13030 | 400 | 13675 | 400 | 478 | 630 | 180 | 515-550 | PN10 | MÉTRICO |
|-------|-----|-------|-----|-----|-----|-----|---------|------|---------|



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Service d'Attention  
Technique Commerciale  
+34 966 105 888



[www.hidroten.es](http://www.hidroten.es)



## Documentation Produit



## Certifications de produits

## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es