




Vannes ?? boisseau 'basic' bi-directionnelle

Sortie mixte moteur pneumatique simple effet - PTFE ITEM 659



R??F??RENCE	DESCRIPTION	Poids net	Volume (m ³)	Poids brut	Unit??s par lot
111D530	V.BOLA BIDIREC. ACT. NEUM. S/E S/MIXTA 20-1/2"	1.6115	0.01553	1.9382	1
111D531	V.BOLA BIDIREC. ACT. NEUM. S/E S/MIXTA 25-3/4"	1.6715	0.02243	2.1592	1
111D532	V.BOLA BIDIREC. ACT. NEUM. S/E S/MIXTA 32-1"	1.8454	0.03129	2.4184	1
111D533	V.BOLA BIDIREC. ACT. NEUM. S/E S/MIXTA 40-1 1/4"	2.699	0.03129	3.272	1
111D534	V.BOLA BIDIREC. ACT. NEUM. S/E S/MIXTA 50-1 1/2"	3.075	0.03129	3.648	1
111D535	V.BOLA BIDIREC. ACT. NEUM. S/E S/MIXTA 63-2"	3.622	0.03648	4.216	1
111D536	V.BOLA BIDIREC. ACT. NEUM. S/E S/MIXTA 75-2 1/2"	5.678	0.0446	6.372	1
111D537	V.BOLA BIDIREC. ACT. NEUM. S/E S/MIXTA 90-3"	11.54	0.0446	0	1





ITEM 659 | Sortie mixte moteur pneumatique simple effet - PTFE

C??DIGO	f -r	Actuador	PESO (g)	DN	A	B	C	D	E	F	G	PN	TIPO ROSCA
11D530	20-1/2"	H050SE	1384.8	15	86	55	16	192	138	44	17	PN16	BSP
11D531	25-3/4"	H050SE	1428.92	20	99	62	19	197	138	49	20	PN16	BSP
11D532	32-1"	H050SE	1562.25	25	122	72	23	208	138	66	23	PN16	BSP
11D533	40-1 1/4"	H063SE	2421	32	131	88	25	248	155	71	26	PN16	BSP
11D534	50-1 1/2"	H063SE	2713.92	40	155	103	31	265	155	75	33	PN16	BSP
11D535	63-2"	H063SE	3234.4	50	180	120	38	307	155	89	29	PN16	BSP
11D536	75-2 1/2"	H075SE	6050	65	202	150	45	376	210	119	33	PN10	BSP
11D537	90-3"	H100SE	11110	80	245	181	51	426	280	140	36	PN10	BSP





Documentation Produit



Certifications de produits

Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es