




## Vannes à boisseau 'Basic'

# Sortie thermofusion- PE - Système Basic ITEM 492

| RÉFÉRENCE | DESCRIPTION              | Poids net | Volume (m³) | Poids brut | Unités par lot |
|-----------|--------------------------|-----------|-------------|------------|----------------|
| 1011420   | V. ENLACE S/TERMO PE 20  | 0.173     | 0.015532    | 7.27       | 40             |
| 1011421   | V. ENLACE S/TERMO PE 25  | 0.214825  | 0.031294    | 9.166      | 40             |
| 1011422   | V. ENLACE S/TERMO PE 32  | 0.312     | 0.036816    | 11.533     | 30             |
| 1011423   | V. ENLACE S/TERMO PE 40  | 0.614     | 0.0446      | 13.02      | 20             |
| 1011424   | V. ENLACE S/TERMO PE 50  | 0.9038    | 0.04717     | 13.432     | 15             |
| 1011425   | V. ENLACE S/TERMO PE 63  | 1.51808   | 0.06347     | 15.73      | 10             |
| 1011426   | V. ENLACE S/TERMO PE 75  | 2.917     | 0.047171    | 12.31      | 4              |
| 1011427   | V. ENLACE S/TERMO PE 90  | 4.21      | 0.03648     | 9.014      | 2              |
| 1011428   | V. ENLACE S/TERMO PE 110 | 6.7045    | 0.044603    | 14.103     | 2              |





## ITEM 492 | Sortie thermofusion- PE - Système Basic

| CÓDIGO | Ø   | PESO (g) | DN  | A   | B   | C   | D   | E   | PN   | MEDIDA  |
|--------|-----|----------|-----|-----|-----|-----|-----|-----|------|---------|
| 11420  | 20  | 173      | 15  | 215 | 52  | 65  | 78  | 47  | PN16 | MÉTRICO |
| 11421  | 25  | 214      | 20  | 222 | 59  | 62  | 84  | 51  | PN16 | MÉTRICO |
| 11422  | 32  | 312      | 25  | 221 | 70  | 45  | 97  | 66  | PN16 | MÉTRICO |
| 11423  | 40  | 614      | 32  | 260 | 84  | 63  | 128 | 72  | PN16 | MÉTRICO |
| 11424  | 50  | 904      | 40  | 287 | 99  | 79  | 142 | 77  | PN16 | MÉTRICO |
| 11425  | 63  | 1518     | 50  | 328 | 121 | 89  | 165 | 90  | PN16 | MÉTRICO |
| 11426  | 75  | 2640     | 65  | 366 | 151 | 95  | 222 | 121 | PN10 | MÉTRICO |
| 11427  | 90  | 4210     | 80  | 397 | 175 | 97  | 244 | 141 | PN10 | MÉTRICO |
| 11428  | 110 | 6070     | 100 | 435 | 210 | 102 | 307 | 155 | PN10 | MÉTRICO |





## Documentation Produit



## Certifications de produits

## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es