




## Vannes boisseau 'compact'

# Sortie taraudée - fileté

## ITEM 721

| RÉFÉRENCE | DESCRIPTION                            | Poids net | Volume (m <sup>3</sup> ) | Poids brut | Unités par lot |
|-----------|----------------------------------------|-----------|--------------------------|------------|----------------|
| 111C130   | V.COMPACT R/H-R/M 1/2" VITON           | 0.106     | 0.008918                 | 2.24       | 20             |
| 111C131   | V.COMPACT R/H-R/M 3/4" VITON           | 0.13963   | 0.008918                 | 2.98       | 20             |
| 111C132   | V.COMPACT R/H-R/M 1" VITON             | 0.201     | 0.015532                 | 3.309      | 15             |
| 111C133   | VALVULA COMPACT R/H-MACHO 1 1/4" VITON | 0.323     | 0.022435                 | 6.825      | 15             |
| 111C134   | VALVULA COMPACT R/H-MACHO 1 1/2" VITON | 0.45      | 0.022435                 | 6.68       | 10             |
| 111C135   | VALVULA COMPACT R/H-MACHO 2" VITON     | 0.741     | 0.02243                  | 5.125      | 5              |





## ITEM 721 | Sortie taraudée - fileté

| CÓDIGO | r      | DN | PESO (g) | A   | B   | C  | D  | F   | PN   | TIPO ROSCA |
|--------|--------|----|----------|-----|-----|----|----|-----|------|------------|
| 11C130 | 1/2"   | 15 | 112.35   | 96  | 48  | 14 | 17 | 80  | PN16 | BSP        |
| 11C131 | 3/4"   | 20 | 144.2    | 106 | 53  | 17 | 20 | 80  | PN16 | BSP        |
| 11C132 | 1"     | 25 | 239.05   | 120 | 59  | 19 | 23 | 101 | PN16 | BSP        |
| 11C133 | 1 1/4" | 32 | 403      | 139 | 69  | 22 | 26 | 130 | PN16 | BSP        |
| 11C134 | 1 1/2" | 40 | 605      | 165 | 83  | 24 | 33 | 130 | PN16 | BSP        |
| 11C135 | 2"     | 50 | 960      | 188 | 104 | 26 | 39 | 172 | PN16 | BSP        |





## Documentation Produit



## Certifications de produits

## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es