




## Acessórios de pressão PVC-U

# Niple m-m reduzido PVC

## ITEM 018


| REFERÊNCIA | DESCRIÇÃO                          | Peso líquido | Volume (m³) | Peso bruto | Unidades por lote |
|------------|------------------------------------|--------------|-------------|------------|-------------------|
| 1002447    | Niple M/M de redução 3/4"-1/2"     | 0.019369     | 0.004725    | 2.054      | 100               |
| 1002448    | Niple M/M de redução 1"-1/2"       | 0.03         | 0.008918    | 3.1874     | 100               |
| 1002449    | Niple M/M de redução 1"-3/4"       | 0.035        | 0.008918    | 3.6874     | 100               |
| 1002450    | Niple M/M de redução 1 1/4" -1/2"  | 0.044577     | 0.015532    | 3.67       | 75                |
| 1002451    | Niple M/M de redução 1 1/4" -3/4"  | 0.046511     | 0.015532    | 3.815      | 75                |
| 1002452    | Niple M/M de redução 1 1/4" -1"    | 0.050177     | 0.015532    | 4.09       | 75                |
| 1002453    | Niple M/M de redução 1 1/2"-1/2"   | 0.060833     | 0.015532    | 6.41       | 100               |
| 1002454    | Niple M/M de redução 1 1/2"-3/4"   | 0.06         | 0.02243     | 6.4867     | 100               |
| 1002455    | Niple M/M de redução 1 1/2"-1"     | 0.0632       | 0.022435    | 6.804      | 100               |
| 1002456    | Niple M/M de redução 1 1/2"-1 1/4" | 0.067323     | 0.022435    | 7.22       | 100               |
| 1002457    | Niple M/M de redução 2"-3/4"       | 0.086946     | 0.022435    | 4.835      | 50                |
| 1002458    | Niple M/M de redução 2"-1"         | 0.108146     | 0.022435    | 5.895      | 50                |
| 1002459    | Niple M/M de redução 2"-1 1/4"     | 0.110846     | 0.022435    | 6.03       | 50                |
| 1002460    | Niple M/M de redução 2"-1 1/2"     | 0.112946     | 0.022435    | 6.135      | 50                |
| 1002461    | Niple M/M de redução 2 1/2"-2"     | 0.155        | 0.02243     | 5.1377     | 30                |
| 1002462    | Niple M/M de redução 3"-2"         | 0.22         | 0.015532    | 2.5267     | 10                |
| 1002463    | Niple M/M de redução 3"-2 1/2"     | 0.245        | 0.015532    | 2.45       | 10                |
| 1002464    | Niple M/M de redução 4"-3"         | 0.42         | 0.015532    | 2.85       | 6                 |





## ITEM 018 | Niple m-m reducido PVC

| Código | A-a           | Peso (g) | B  | c  | C  | D  | PN   | ROSCA |
|--------|---------------|----------|----|----|----|----|------|-------|
| 02447  | 3/4"-1/2"     | 19       | 34 | 11 | 16 | 42 | PN10 | BSP   |
| 02448  | 1"-1/2"       | 30       | 44 | 11 | 19 | 47 | PN10 | BSP   |
| 02449  | 1"-3/4"       | 33       | 44 | 16 | 19 | 47 | PN10 | BSP   |
| 02450  | 1 1/4"-1/2"   | 44       | 50 | 11 | 21 | 49 | PN10 | BSP   |
| 02451  | 1 1/4"-3/4"   | 47       | 50 | 16 | 21 | 50 | PN10 | BSP   |
| 02452  | 1 1/4"-1"     | 50       | 50 | 19 | 21 | 53 | PN10 | BSP   |
| 02453  | 1 1/2"-1/2"   | 58       | 60 | 11 | 22 | 49 | PN10 | BSP   |
| 02454  | 1 1/2"-3/4"   | 59       | 60 | 16 | 22 | 51 | PN10 | BSP   |
| 02455  | 1 1/2"-1"     | 62       | 60 | 19 | 22 | 54 | PN10 | BSP   |
| 02456  | 1 1/2"-1 1/4" | 67       | 60 | 21 | 22 | 56 | PN10 | BSP   |






# ITEM 018 | Niple m-m reducido PVC


|       |           |     |     |    |    |    |      |     |
|-------|-----------|-----|-----|----|----|----|------|-----|
| 02457 | 2"-3/4"   | 90  | 70  | 16 | 26 | 56 | PN10 | BSP |
| 02458 | 2"-1"     | 93  | 70  | 19 | 26 | 60 | PN10 | BSP |
| 02459 | 2"-1 1/4" | 95  | 70  | 21 | 26 | 61 | PN10 | BSP |
| 02460 | 2"-1 1/2" | 98  | 70  | 22 | 26 | 61 | PN10 | BSP |
| 02461 | 2 1/2"-2" | 140 | 80  | 31 | 26 | 72 | PN10 | BSP |
| 02462 | 3"-2"     | 215 | 108 | 33 | 26 | 74 | PN10 | BSP |
| 02463 | 3"-2 1/2" | 265 | 108 | 33 | 31 | 73 | PN10 | BSP |
| 02464 | 4"-3"     | 425 | 115 | 38 | 33 | 86 | PN10 | BSP |



## Documentación del Producto



## Certificados del Producto



## Certificados da Empresa

