




## PP Compression Fittings

# Codo 90° R/Macho

## ITEM 481

| REFERÊNCIA | DESCRIÇÃO                         | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|-----------------------------------|--------------|-------------|----------------------|-------------------|
| 112E091    | Joelho 90° R/MACHO 20-1/2" GRIS   | 0.059213     | 0.03129     | 5.31                 | 80                |
| 112E092    | Joelho 90° R/MACHO 25-3/4" GRIS   | 0.0692       | 0.022435    | 4.93                 | 50                |
| 112E093    | Joelho 90° R/MACHO 32-1" GRIS     | 0.134        | 0.031294    | 7.26                 | 50                |
| 112E094    | Joelho 90° R/MACHO 40-1 1/4" GRIS | 0.242        | 0.036484    | 7.96                 | 30                |
| 112E095    | Joelho 90° R/MACHO 50-1 1/2" GRIS | 0.388        | 0.036484    | 8.46                 | 20                |
| 112E096    | Joelho 90° R/MACHO 63-2" GRIS     | 0.716547     | 0.047171    | 11.39                | 15                |
| 112E097    | Joelho 90° R/MACHO 75-2 1/2" GRIS | 1.092        | 0.061499    | 11.018               | 10                |
| 112E098    | Joelho 90° R/MACHO 90-3" GRIS     | 1.859        | 0.031294    | 7.996                | 4                 |
| 112E099    | Joelho 90° R/MACHO 110-4" GRIS    | 2.746        | 0.031294    | 6.052                | 2                 |
| 112E361    | Joelho 90° R/MACHO 25-1/2" GRIS   | 0.09         | 0.02243     | 4.915                | 50                |
| 112E364    | Joelho 90° R/MACHO 32-3/4" GRIS   | 0.135        | 0.03129     | 7.38                 | 50                |





## ITEM 481 | Codo 90° R/Macho

| Código | f tubo - F  | Peso (g) | A  | B   | C   | D   | E  | PN   | TIPO ROSCA |
|--------|-------------|----------|----|-----|-----|-----|----|------|------------|
| 12E091 | 20 - 1/2"   | 60       | 21 | 46  | 83  | 77  | 15 | PN16 | BSP        |
| 12E361 | 25 - 1/2"   | 87       | 26 | 55  | 92  | 81  | 15 | PN16 | BSP        |
| 12E092 | 25 - 3/4"   | 90       | 26 | 55  | 92  | 81  | 15 | PN16 | BSP        |
| 12E364 | 32 - 3/4"   | 129      | 33 | 64  | 105 | 94  | 15 | PN16 | BSP        |
| 12E093 | 32 - 1"     | 134      | 33 | 64  | 105 | 94  | 17 | PN16 | BSP        |
| 12E094 | 40 - 1 1/4" | 227      | 42 | 76  | 126 | 104 | 21 | PN16 | BSP        |
| 12E095 | 50 - 1 1/2" | 370      | 51 | 91  | 145 | 128 | 21 | PN16 | BSP        |
| 12E096 | 63 - 2"     | 612      | 64 | 109 | 189 | 156 | 29 | PN16 | BSP        |
| 12E097 | 75 - 2 1/2" | 1057     | 77 | 133 | 212 | 178 | 30 | PN10 | BSP        |
| 12E098 | 90 - 3"     | 1919     | 92 | 159 | 263 | 208 | 35 | PN10 | BSP        |





ITEM 481 | Codo 90° R/Macho

|        |          |      |     |     |     |     |    |      |     |
|--------|----------|------|-----|-----|-----|-----|----|------|-----|
| 12E099 | 110 - 4" | 2769 | 112 | 183 | 303 | 244 | 41 | PN10 | BSP |
|--------|----------|------|-----|-----|-----|-----|----|------|-----|





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

