




## PP Compression Fittings

# Te salida R/Hembra

## ITEM 487

| REFERÊNCIA | DESCRIÇÃO                 | Peso líquido | Volume (m³) | contenido.peso bruto | Unidades por lote |
|------------|---------------------------|--------------|-------------|----------------------|-------------------|
| 112E057    | Tê R/fêmea 20-1/2" GRIS   | 0.094534     | 0.031294    | 9.005                | 90                |
| 112E058    | Tê R/fêmea 25-3/4" GRIS   | 0.148        | 0.047171    | 11.12                | 70                |
| 112E059    | Tê R/fêmea 32-1" GRIS     | 0.217        | 0.044603    | 11.461               | 50                |
| 112E060    | Tê R/fêmea 40-1 1/4" GRIS | 0.38         | 0.048799    | 13.68                | 34                |
| 112E061    | Tê R/fêmea 50-1 1/2" GRIS | 0.601        | 0.044603    | 12.85                | 20                |
| 112E062    | Tê R/fêmea 63-2" GRIS     | 1.069        | 0.04836     | 13.668               | 12                |
| 112E063    | Tê R/fêmea 50-2" GRIS     | 0            | 0.0446      | 0                    | 16                |
| 112E149    | Tê R/fêmea 20-3/4" GRIS   | 0.085        | 0.031294    | 8.21                 | 90                |
| 112E150    | Tê R/fêmea 25-1/2" GRIS   | 0.152        | 0.047171    | 11.4                 | 70                |
| 112E151    | Tê R/fêmea 32-1/2" GRIS   | 0.217        | 0.044603    | 10.68                | 50                |
| 112E152    | Tê R/fêmea 32-3/4" GRIS   | 0.24         | 0.044603    | 12.83                | 50                |





## ITEM 487 | Te salida R/Hembra

| Código | f tubo - F  | Peso (g) | A  | B  | C  | D   | E  | PN   | TIPO ROSCA |
|--------|-------------|----------|----|----|----|-----|----|------|------------|
| 12E057 | 20 - 1/2"   | 96       | 21 | 46 | 58 | 137 | 17 | PN16 | BSP        |
| 12E149 | 20 - 3/4"   | 95       | 21 | 46 | 58 | 137 | 19 | PN16 | BSP        |
| 12E150 | 25 - 1/2"   | 154      | 26 | 55 | 66 | 156 | 17 | PN16 | BSP        |
| 12E058 | 25 - 3/4"   | 149      | 26 | 55 | 66 | 156 | 20 | PN16 | BSP        |
| 12E151 | 32 - 1/2"   | 227      | 33 | 64 | 71 | 170 | 17 | PN16 | BSP        |
| 12E152 | 32 - 3/4"   | 223      | 33 | 64 | 71 | 170 | 21 | PN16 | BSP        |
| 12E059 | 32 - 1"     | 220      | 33 | 64 | 71 | 170 | 23 | PN16 | BSP        |
| 12E060 | 40 - 1 1/4" | 350      | 42 | 76 | 84 | 208 | 25 | PN16 | BSP        |
| 12E061 | 50 - 1 1/2" | 564      | 51 | 91 | 93 | 235 | 25 | PN16 | BSP        |
| 12E063 | 50 - 2"     | 612      | 51 | 91 | 93 | 235 | 29 | PN16 | BSP        |





ITEM 487 | Te salida R/Hembra

|        |             |      |     |     |     |     |    |      |     |
|--------|-------------|------|-----|-----|-----|-----|----|------|-----|
| 12E062 | 63 - 2"     | 952  | 64  | 109 | 113 | 274 | 29 | PN16 | BSP |
| 12E124 | 75 - 2 1/2" | 1721 | 77  | 133 | 132 | 344 | 33 | PN10 | BSP |
| 12E125 | 90 - 3"     | 2790 | 92  | 159 | 162 | 416 | 41 | PN10 | BSP |
| 12E126 | 110 - 4"    | 4070 | 112 | 183 | 167 | 465 | 45 | PN10 | BSP |





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

