




Válvulas de esfera 3 vías "Security"

SALIDA ENCOLAR

ITEM 849

REFERÊNCIA	DESCRIÇÃO	Peso líquido	Volumen (m³)	contenido.peso bruto	Unidades por lote
111V003	VALVULA União 3 VIAS L S/ENCOLAR 32	0.67	0.0446	3.97	4
111V005	VALVULA União 3 VIAS L S/ENCOLAR 50	1.657	0.044603	5.1298	2
111V006	V. E. 3 VIAS L S/ENCOLAR 63	2.685	0.03129	7.06	2
111V007	VALVULA União 3 VIAS L S/ENCOLAR 75	4.881	0.03892	5.76	1
111V043	V. E. 3 VIAS T S/ENCOLAR 32	0.667	0.03129	3.8019	4
111V045	V. E. 3 VIAS T S/ENCOLAR 50	1.646	0.0446	5.142	2
111V046	V. E. 3 VIAS T S/ENCOLAR 63	2.8031	0.044603	7.001	2
111V047	VALVULA União 3 VIAS T S/ENCOLAR 75	4.785	0.03892	5.67	1
111V744	V.União 3 VIAS L S/E 40	1.647	0.0446	5.14	2
111V748	V.União 3 VIAS L S/E 90	5.141	0.03892	6.02	1
111V754	V.União 3 VIAS T S/E 40	1.637	0.0446	5.12	2
111V758	V.União 3 VIAS T S/E 90	5.085	0.03892	6.117	1





ITEM 849 | SALIDA ENCOLAR

PTFE	f	PESO (g)	DN	Modelo	A	B	C	D	E	PN	MEDIDA
11V003	32	712	25	L	160	72	22	121	114	PN16	MÉTRICO
11V744	40	1644	40	L	214	103	26	155	140	PN16	MÉTRICO
11V005	50	1653	40	L	216	103	31	155	140	PN16	MÉTRICO
11V006	63	2549	50	L	251	120	38	172	140	PN16	MÉTRICO
11V007	75	5008	65	L	308	150	45	218	160	PN10	MÉTRICO
11V748	90	5317	65	L	332	150	51	218	160	PN10	MÉTRICO
11V013	32	708	25	T	160	72	22	121	114	PN16	MÉTRICO
11V754	40	1634	40	T	214	103	26	155	140	PN16	MÉTRICO
11V045	50	1643	40	T	216	103	31	155	140	PN16	MÉTRICO
11V046	63	2531	50	T	251	120	38	172	140	PN16	MÉTRICO





ITEM 849 | SALIDA ENCOLAR

11V047	75	4968	65	T	308	150	45	218	160	PN10	MÉTRICO
11V758	90	5277	65	T	332	150	51	218	160	PN10	MÉTRICO





Documentação do Produto



Certificados do Produto

Certificados da Empresa

